

- A



Suffix	Optional Variations
-AK	High water anchor kit (set of two)
-C	Lid Extension (specify dimension required)
-COA	Coalescer Pack
-DI	Ductile Iron lid & collar
-DP	Dosing Pump
-EP	Enzymy Port
-FL-C	Membrane clamp kit
-F6	6" No Hub Inlet / Outlet connection (flow rate of 700 GPM with 6" connection)
-HLA	High level alarm and float switch (to be installed on site)
-LHSI	4" no hub inlet on left hand side
-LHSO	4" no hub outlet on left hand side
-PDI	PDI plate and external vented flow control fitting to meet PCI Standards
-RHSI	4" no hub inlet on right hand side
-RHSO	4" no hub outlet on right hand side
-RPO	4" Remote pump outlet connections on top of interceptor - specify location and number required
-SB	Sediment Bucket
-SP	External Sample Port (for existing construction. Inlet and Outlet on the same level)
-SP-OF	External Sample Port (for new construction. Inlet higher than the outlet)
-SST	Fire resistant fabricated stainless steel interceptor
-ST	Fire resistant fabricated 10 guage powder epoxy coated steel interceptor
-V	Vent connection - 4" (specify number required and location - side and / or top)

UNLESS STATED OTHERWISE DIMENSIONS ARE IN INCHES	MATERIAL: <div>HDPE</div>				TITLE: <div>GI-SS-750</div>		REV:	<div>T&C PLASTICS</div> <div>WWW.TANDCPLASTICS.COM</div> <div>732-780-5300</div>	
	WEIGHT [lb]: <div>1,015</div>			NAME		DATE			SIZE:
		DRAWN	DR	01/02/2023		SHEET 1 OF 1			
	DO NOT SCALE DRAWING		CHECKED			SCALE: 1:2			
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TOWN & COUNTRY PLASTICS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TOWN & PLASTICS LLC IS PROHIBITED.									

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TOWN & COUNTRY PLASTICS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TOWN & PLASTICS LLC IS PROHIBITED.